

The AGNI-Sleeve[®] Application Range.

SUBSTRATE	SERVICE (s)	FRL	OTHER AGNI-PRODUCTS	AGNI-SYSTEM #	COMPLIANCE REFERENCE
<ul style="list-style-type: none"> • Min. 1 x layer of 13mm plasterboard on each side • Concrete walls • Solid or hollow masonry walls 	PVC-U pipes				
	DN100mm PVC-U pipe	-/60/60	AGNI-Seal, AGNI-Straps	AP-076	PF24069
	PEX pipes				
	DN40mm PEX pipe	-/60/60	AGNI-Seal, AGNI-Straps	AP-082	PF24078
	PEX-AL-PEX pipes				
	DN32mm PEX-AL-PEX	-/60/60	AGNI-Seal, AGNI-Straps	AP-101	PF24082
	Kelox pipes				
	Insulated Kelox pipe	-/60/45	AGNI-Seal	AP-102	PF24082
<ul style="list-style-type: none"> • Min. 2 x layers of 13mm plasterboard on each side & 64mm steel stud • Min 116 concrete walls • Min 116 solid or hollow masonry walls 	Copper pipes with lagging				
	DN15mm copper pipe with 38mm lagging	-/120/120	AGNI-Black	AP-214	PF25008
	DN50mm copper pipe with 13mm lagging	-/120/120	AGNI-Black	AP-214	PF25008
	DN50mm copper pipe with 32mm lagging	-/120/120	AGNI-Black	AP-214	PF25008
	DN32mm copper pipe with 32mm lagging + DN15mm copper pipe with 25mm lagging + DN50mm copper pipe with 25mm thick insulation	-/120/120	AGNI-Black	AP-217	PF25008
	DN32mm copper pipe with 32mm lagging + DN15mm copper pipe with 25mm thick insulation	-/120/120	AGNI-Black	AP-216	PF25008

The AGNI-Sleeve[®] Application Range.

SUBSTRATE	SERVICE (s)	FRL	OTHER AGNI-PRODUCTS	AGNI-SYSTEM #	COMPLIANCE REFERENCE
	DN20mm copper pipe with 9mm lagging	-/120/120	AGNI-Black	AP-214	PF25008
<ul style="list-style-type: none"> • Min. 2 x layers of 13mm plasterboard on each side & 64mm steel stud • Min 116 concrete walls • Min 116 solid or hollow masonry walls 	PEX pipes				
	DN16mm PEX pipe with 38mm lagging	-/120/120	AGNI-Black	AP-215	PF25008
	DN20mm PEX pipe with 9mm lagging	-/120/120	AGNI-Black	AP-215	PF25008
	DN32mm PEX pipe with 32mm lagging	-/120/120	AGNI-Black	AP-215	PF25008
	AC Bundles				
	2× Pair coils with PE insulation + 2× TPS cables	-/120/120	AGNI-Seal AGNI-Straps	AE-034	PF24020
	2× Pair coils wit FR insulation + 2× TPS cables	-/60/45	AGNI-Seal	AP-102	PF24082
<ul style="list-style-type: none"> • Min. 100mm concrete floor / ceiling 	PVC-U pipes				
	DN32 PVC-U pipe	-/120/120	AGNI-Seal	AP-138	PF24122
	DN50 PVC-U pipe	-/120/120	AGNI-Seal	AP-138	PF24122
	DN65 PVC-U pipe	-/120/120	AGNI-Seal	AP-138	PF24122
	DN80 PVC-U pipe	-/120/120	AGNI-Seal	AP-138	PF24122
	DN100 PVC-U pipe	-/120/120	AGNI-Seal	AP-138	PF24122
	DN150mm PVC-U pipe	-/90/90	AGNI-Seal	AP-138	PF24122

The AGNI-Sleeve[®] Application Range.

SUBSTRATE	SERVICE (s)	FRL	OTHER AGNI-PRODUCTS	AGNI-SYSTEM #	COMPLIANCE REFERENCE	
• Min. 100mm concrete floor / ceiling	PPR-R pipes					
	DN32mm PP-R pipe	-/120/120	AGNI-Seal	AP-139	PF24122	
	DN90mm PP-R pipe	-/120/120	AGNI-Seal	AP-139	PF24122	
• Min 120mm concrete floor/ceiling	PVC-U pipes					
	DN32 PVC-U pipe	-/120/120	AGNI-Seal AGNI-Clips	AP-067	PF24070	
	DN50 PVC-U pipe	-/120/120	AGNI-Seal AGNI-Clips	AP-215	PF24070	
	DN100 PVC-U pipe	-/120/120	AGNI-Seal AGNI-Clips	AP-215	PF24070	
	PP-R pipes					
	DN40 PP-R pipe	-/120/120	AGNI-Seal AGNI-Clips	AP-068	PF24070	
	DN90 PP-R pipe	-/120/120	AGNI-Seal AGNI-Clips	AP-068	PF24070	
	• Min 190mm Concrete Floor / Ceiling	PPR-R pipes				
		DN125mm PP-R pipe	-/360/360	AGNI-Seal	AP-111	PF24096
• Min 190mm Concrete Floor / Ceiling	PVC-U pipes					
	DN32mm PVC-U pipe	-/360/360	AGNI-Seal	AP-109	PF24096	
	DN50mm PVC-U pipe	-/360/360	AGNI-Seal	AP-109	PF24096	

The AGNI-Sleeve[®] Application Range.

SUBSTRATE	SERVICE (s)	FRL	OTHER AGNI-PRODUCTS	AGNI-SYSTEM #	COMPLIANCE REFERENCE	
• Min 190mm Concrete Floor / Ceiling	DN50mm PVC-U pipe	-/360/360	AGNI-Seal	AP-109	PF24096	
	DN80mm PVC-U pipe	-/360/360	AGNI-Seal	AP-109	PF24096	
	DN100mm PVC-U pipe	-/360/360	AGNI-Seal	AP-109	PF24096	
	DN80mm PVC-U waste pipe	-/360/360	none	AP-110	PF24096	
• Comflor: Min 60mm trapezoidal decking with 70mm topping)	PP-R pipes					
	DN90mm PP-R pipe	-/120/120	AGNI-Board backing	AP-156	PF24123	
	PVC-U pipes					
	DN32mm PVC-U pipe	-/120/120	AGNI-Board backing	AP-158	PF24123	
	DN50mm PVC-U pipe	-/120/120	AGNI-Board backing	AP-158	PF24123	
	DN80mm PVC-U pipe	-/120/120	AGNI-Board backing	AP-158	PF24123	
	DN100mm PVC-U pipe	-/120/120	AGNI-Board backing	AP-158	PF24123	
	DN 50mm flexible conduit with up to 6 x TPS cables	-/120/120	AGNI-Board backing	AE-159	PF24123	
	• Comflor: Min. 80mm trapezoidal decking with 70mm topping	AC Bundle				
		1 x PE pair coil + 1 x DN20mm condensate pipe + 1 TPS cable	-/120/90	AGNI-Seal	AE-123	PF24098
PVC-U pipes						
DN32mm PVC-U pipe		-/120/120	AGNI-Seal	AP-121	PF24098	

The AGNI-Sleeve[®] Application Range.

SUBSTRATE	SERVICE (s)	FRL	OTHER AGNI-PRODUCTS	AGNI-SYSTEM #	COMPLIANCE REFERENCE
<ul style="list-style-type: none"> • Comflor: Min. 80mm trapezoidal decking with 70mm topping • Comflor: Min. 80mm trapezoidal decking with 70mm topping 	DN50mm PVC-U pipe	-/120/120	AGNI-Seal	AP-121	PF24098
	DN65mm PVC-U pipe	-/120/120	AGNI-Seal	AP-121	PF24098
	DN80mm PVC-U pipe	-/120/120	AGNI-Seal	AP-121	PF24098
	DN100mm PVC-U pipe	-/120/120	AGNI-Seal	AP-121	PF24098
	PP-R pipes				
	DN90mm PP-R pipe	-/120/120	AGNI-Seal	AP-124	PF24098
	PVC-U conduit pipes				
	DN50mm flexible conduit with 6 x TPS cables	-/120/120	AGNI-Seal	AP-122	PF24098
<ul style="list-style-type: none"> • Min 100mm CLT wall • Min 100mm CLT wall 	PEX pipes				
	DN16mm PEX pipe	-/60/60	AGNI-Seal	AP-096	PF24086
	DN25mm PEX pipe	-/60/60	AGNI-Seal	AP-096	PF24086
	PVC-U conduit pipes				
	DN 25mm flexible conduit with up to 3 x TPS cables	-/60/60	AGNI-Seal	AE-095	PF24086
	PVC-U pipes				
	DN 80mm PVC-U pipe	-/60/60	AGNI-Seal	AP-094	PF24086
	DN 80mm PVC-U pipe	-/60/60	AGNI-Seal	AP-096	PF24086

The AGNI-Sleeve[®] Application Range.

SUBSTRATE	SERVICE (s)	FRL	OTHER AGNI-PRODUCTS	AGNI-SYSTEM #	COMPLIANCE REFERENCE
<ul style="list-style-type: none"> • 1 layer of 13mm & 1 layer of 16mm FR plasterboard ceiling • 1 layer of 13mm & 1 layer of 16mm FR plasterboard ceiling 	PVC-U pipes				
	DN25mm PVC-U pipe	-/60/60 RISF 60min	AGNI-Seal AGNI-Straps AGNI-Shield	AP-196	PF25003
	PVC-U conduit pipes				
	DN25mm PVC-U conduit with up to 8xOptic cables	-/60/60 RISF 60min	AGNI-Seal AGNI-Straps AGNI-Shield	AE-195	PF25003
	Copper/steel pipes				
	DN25mm copper pipe	-/60/30 RISF 60min	AGNI-Seal AGNI-Straps AGNI-Shield	AP-194	PF25003
	DN50mm copper pipe	-/60/30 RISF 60min	AGNI-Seal AGNI-Straps AGNI-Shield	AP-194	PF25003
	DN100mm copper pipe	-/60/45 RISF 60min	AGNI-Seal AGNI-Straps AGNI-Shield	AP-194	PF25003
	DN60mm steel pipe	-/60/45 RISF 60min	AGNI-Seal AGNI-Straps AGNI-Shield	AP-193	PF25003
	Electrical cables				
	4 x TPS cable	-/60/60 RISF 60min	AGNI-Seal AGNI-Straps AGNI-Shield	AE-190	PF25003
	4 x Data cable	-/60/60 RISF 60min	AGNI-Seal AGNI-Straps AGNI-Shield	AE-192	PF25003
	4 x Alarm cable	-/60/60 RISF 60min	AGNI-Seal AGNI-Straps AGNI-Shield	AE-191	PF25003